

FIG.1




FIG.2

300

TAB1

TAB2

TAB3

DB

PATTERN

☐ PARAMETERS

☐ CATEGORY1

☐ PARAMETER11

☐ PARAMETER12

☐ CATEGORY2

☐ SUBCATEGORY1

☐ PARAMETER21

☐ PARAMETER22

☒ DISPLAY AT RUN TIME

FIG.3




FIG. 4




FIG. 5

600

☐ 601 FOR ALL SEGMENTS

☐ 602 FOR SELECTED SEGMENTS

☒ 603 FOR PROPERTY "TYPE"

TYPE

604

605 ADD SEGMENT

606 DEL SEGMENT

607

0  
5  
12

608 ADD COLUMN

CORRELATE COLUMNS

610

FIRST

611

☐ FIRST

☒ SECOND

☐ THIRD

609 DEL COLUMN

TO COLUMNS

611

FIRST

612

☒ FIRST


☐ SECOND

☒ THIRD

613

☒ DISPLAY AT RUN TIME

FIG.6



**FIG.7**

800

801

802

AXIS-SELECTION | CHART TYPE AND TEMPLATE

803

☐ AVAILABLE COLUMNS

☐ DEVICE

☐ LOT

☐ WAFER

☐ LAYER

☐ DEFECTCOUNT

☐ DEFECTTYPE1

804

☐ X-AXIS

805

☐ Y-AXIS

806

☐ Z-AXIS

807

☒ DISPLAY AT RUN TIME

FIG.8







FIG. 9



**FIG.10**